

To: McGrath, Shaun[McGrath.Shaun@epa.gov]
From: Card, Joan
Sent: Wed 9/23/2015 8:10:10 PM
Subject: RE: Winter Discharge Treatment

Tom was very involved in the PIO devolution plan. He ok'd Laura's first deployment.

From: McGrath, Shaun
Sent: Wednesday, September 23, 2015 2:09 PM
To: Card, Joan
Subject: RE: Winter Discharge Treatment

Why?

From: Card, Joan
Sent: Wednesday, September 23, 2015 2:08 PM
To: McGrath, Shaun
Subject: RE: Winter Discharge Treatment

Probably good to check in with Tom Reynolds on this.

From: McGrath, Shaun
Sent: Wednesday, September 23, 2015 2:05 PM
To: Jenkins, Laura Flynn
Cc: Mylott, Richard; Card, Joan
Subject: RE: Winter Discharge Treatment

Yes Laura, I think it would be very helpful for you to extend if you are able.

From: Jenkins, Laura Flynn
Sent: Wednesday, September 23, 2015 1:34 PM
To: McGrath, Shaun
Subject: FW: Winter Discharge Treatment

We're good....sorry again....lots happening and just trying to get things done.

On a somewhat related note, Althea/Mike asked if I would be willing/able to extend down here. I told them, first and foremost, they need your okay. Beyond that, I told them I need to fly home tomorrow for a weekend family commitment but was available to return on Monday – provided this is where you want me to be. Spoke with Rich Mylott just now and asked him to see what you want me to do. I'm perfectly fine coming back down here for a 2nd deployment but can only stay through 10/6.

Laura Jenkins

Media Officer

USEPA-Region 8

1595 Wynkoop St.

Mailcode: 8-OC

Denver, CO 80202

Landline: 303-312-6256

Cell: 202-360-8453

Fax: 303-312-6961

From: Calanog, Steve
Sent: Wednesday, September 23, 2015 1:25 PM
To: Jenkins, Laura Flynn
Subject: Re: Winter Discharge Treatment

No worries - I've notified them

v/r

Steve Calanog

Federal On-Scene Coordinator

US EPA Region IX

415-595-8350

Sent from my iPhone

On Sep 23, 2015, at 1:20 PM, Jenkins, Laura Flynn <Jenkins.Laura@epa.gov> wrote:

Steve:

I may have erred on the side of timely notification....but didn't see Shaun's note until after I forwarded notification to NN. Sorry if I jumped the gun, I was just trying to make sure they were notified before the press....which is happening momentarily.

Sorry,

Laura Jenkins

Media Officer

USEPA-Region 8

1595 Wynkoop St.

Mailcode: 8-OC

Denver, CO 80202

Landline: 303-312-6256

Cell: 202-360-8453

Fax: 303-312-6961

From: McGrath, Shaun
Sent: Wednesday, September 23, 2015 1:18 PM
To: Jenkins, Laura Flynn
Subject: RE: Winter Discharge Treatment

Coordinate with Steve

From: Jenkins, Laura Flynn
Sent: Wednesday, September 23, 2015 1:12 PM
To: McGrath, Shaun; StClair, Christie
Cc: Russo, Rebecca; Calanog, Steve
Subject: RE: Winter Discharge Treatment

I will forward to the NN contacts on the GKM call-down list. Rebecca may be at the Oil & Gas hearing in R8.

Laura Jenkins

Media Officer

USEPA-Region 8

1595 Wynkoop St.

Mailcode: 8-OC

Denver, CO 80202

Landline: 303-312-6256

Cell: 202-360-8453

Fax: 303-312-6961

From: McGrath, Shaun
Sent: Wednesday, September 23, 2015 12:52 PM
To: StClair, Christie
Cc: Russo, Rebecca; Jenkins, Laura Flynn; Calanog, Steve
Subject: RE: Winter Discharge Treatment

Adding Rebecca and Laura and Steve

Was Navajo Nation included? If not, can someone please get out asap?

From: StClair, Christie
Sent: Wednesday, September 23, 2015 12:48 PM
To: McGrath, Shaun
Subject: Re: Winter Discharge Treatment

Shaun, didn't see NN under R8 or R6's notifications. Do you know who is handling?

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

o: 202-564-2880

m: 202-768-5780

On Sep 23, 2015, at 2:31 PM, "McGrath, Shaun" <McGrath.Shaun@epa.gov> wrote:

All,

We are cleared to move forward.

Rebecca, please commence the notifications of elected officials.


Laura, at 1:30 MST, issue the release to the media.

Thanks,

Shaun

From: StClair, Christie
Sent: Wednesday, September 23, 2015 9:25 AM
To: Gray, David; McGrath, Shaun; Deitz, Randy
Cc: Purchia, Liz; Distefano, Nichole; Ostrander, David; Braun, Richard; Sandoval, Joni; Way, Steven; Mills, Bethany; Reynolds, Thomas; Ackerman, Joyce; Vaught, Laura; Calanog, Steve; Card, Joan; Jenkins, Laura Flynn; Russo, Rebecca; Hull, George; Smith, Roxanne
Subject: Re: Winter Discharge Treatment

All - Here is the final, formatted press release. Once Shaun green-lights, we'll leave an hour for notifications and then send the release to our GKM distribution list + post on the GKM site.



CONTACT:
Press@epa.gov

FOR IMMEDIATE RELEASE:
Sept. 23, 2015

EPA Announces Gold King Mine Water Treatment System for Winter 2015-16

(Washington, DC) -- The U.S. Environmental Protection Agency (EPA) announced today that a portable, temporary treatment system will be located in Gladstone, CO (elevation 10,500ft) to continue treating water discharged from the Gold King Mine during winter 2015-16. This system will replace temporary settling ponds constructed by the EPA in August 2015.

The transition to the portable treatment system is necessary as local winter temperatures can reach -20F, making it unsafe to manually treat water at the mine site. The schedule calls for the treatment system to be operational by Oct. 14, 2015. EPA's contractor, ER LLC, awarded a subcontract Sept. 22, 2015 to Alexco Environmental Group (US) Inc. to complete the work.

This system will treat the approximately 550 gallons per minute (gpm) of water that continue to flow from the mine, including the discharges related to ongoing work in the mine to stabilize conditions. The system is designed to handle up to 1,200 gpm. The objective of the treatment system is to neutralize the mine discharge and remove solids and metals. Although the Gold king Mine discharge is just one of many into Cement Creek, the treatment will remove a portion of the metal loading to Cement Creek.

The EPA continues to evaluate data to determine the impact of the Gold King Mine on water quality.

Additional information about EPA's Gold King Mine response: www.epa.gov/goldkingmine

R256

Christie St. Clair

US EPA Office of Public Affairs

c: 202-768-5780